



Replacement Sheet

21/35

FIG.23

AA HOME | SEARCH |

CAD SYMBOL
DOWNLOAD SERVICE

TO DOWNLOAD A CAD SYMBOL :
PLEASE SELECT "BUILDING PURPOSE", "ELEVATOR PURPOSE", "DOOR OPENING DIRECTION", "PASSENGER CAPACITY/LOAD",
"EXISTENCE OF TRUNK", "SPEED", "COUNTER WEIGHT POSITION" IN THE ORDER OF "SELECTION ORDER".
SELECTION OF "COUNTER WEIGHT POSITION" IS AN OPTION.
WHEN A PLURALITY OF ELEVATORS ARE TO BE INSTALLED IN PARALLEL, SPECIFICATIONS CORRESPONDING TO THE
NUMBER OF ELEVATORS SHOULD BE SELECTED.
WHEN YOU FINISH SELECTION OF REQUIRED ITEMS, PLEASE CLICK "SYMBOL DISPLAY" BUTTON.

BUILDING PURPOSE

OFFICE BUILDING (P)

SELECTION ORDER

(1) (2) (3) (4) (5) (6)

	ELEVATOR PURPOSE	DOOR OPENING DIRECTION	PASSENGER CAPACITY (PERSONS) LOAD [kg]	EXISTENCE OF TRUNK	SPEED [m/min]	COUNTER WEIGHT LOCATION
FIRST	PASSENGER	CENTER OPENING		NON-SPECIFIABLE	60	REAR WEIGHT POSITION (LEFT)
SECOND	PASSENGER	CENTER OPENING	9	NON-SPECIFIABLE		REAR WEIGHT POSITION (LEFT)
THIRD				NON-SPECIFIABLE		
FOURTH				NON-SPECIFIABLE		
FIFTH				NON-SPECIFIABLE		

SYMBOL DISPLAY

177 171 172 173 174 175 176



Replacement Sheet


22/35

FIG.24

| AA HOME | SEARCH |

ELEVATOR SYMBOL DISPLAY

180




BUILDING PURPOSE	OFFICE BUILDING (P)					
	ELEVATOR PURPOSE	DOOR OPENING DIRECTION	PASSENGER CAPACITY (PERSONS) LOAD [kg]	EXISTENCE OF TRUNK	SPEED [m/min]	COUNTER WEIGHT POSITION
FIRST	PASSENGER	CENTER OPENING	9	—	60	REAR WEIGHT POSITION (LEFT)
SECOND	PASSENGER	CENTER OPENING	9	—	60	REAR WEIGHT POSITION (LEFT)

SAVE THE STUDIED CONTENTS? Y / N

181



FIG.25





Replacement Sheet

24/35

FIG.26

(a)

191

CASE ID		00123	190
NUMBER OF ELEVATORS :	2	PURPOSE OF BUILDING :	OFFICE 192
		NUMBER OF FLOORS :	10 FLOORS 193
1ST ELEVATOR			
PASSENGER CAPACITY :	11 PASSENGERS	SPEED :	105m/min
Cwt:	REAR WEIGHT POSITION (LEFT)	DOOR OPENING DIRECTION :	CENTER OPENING
2ND ELEVATOR			
	:	:	
BUILDING DRAWING DATA UPLOAD		file00123.dxf▼	195
DRAWING REQUISITION DATE :		2000▼ / 3▼ / 30▼	196
		SENDING	197

(b)

DRAWING GENERATION REQUEST CASE ID : 00123		198
DRAWING CAN BE COMPLETED ON OR BEFORE		199
MARCH 30, 2000.		
		OK 200



Replacement Sheet

29/35

FIG.31

221

CASE ID: 00123 220

PURPOSE OF BUILDING: OFFICE NUMBER OF FLOORS: 10 FLOORS 222

1ST ELEVATOR

PASSENGER CAPACITY: 11 PASSENGERS SPEED: 105m/min 223

DOOR OPENING DIRECTION: CENTER OPENING Cwt: REAR WEIGHT POSITION (LEFT)

STUDY OF CAGE'S ARTISTIC DESIGN

(1) CEILING DESIGN PATTERN

224

(2) SIDE PLATE MATERIAL

225

DECORATIVE COPPER PLATE (WHITE)

ALUMINUM

(3) FLOOR MATERIAL

226

VINYL TILE (BROWN)

MARBLE

(4) HANDRAIL MATERIAL

227

BRASS PIPE

NECESSARY ☒ UNNECESSARY ☐ 228

SENDING 229

FIG.32



Replacement Sheet

32/35

FIG.34

(a)

CASE ID		00123	
NUMBER OF ELEVATORS : 2		PURPOSE OF BUILDING : OFFICE	
1ST ELEVATOR			
PASSENGER CAPACITY : 11 PASSENGERS		SPEED : 105m/min	
Cwt : REAR WEIGHT POSITION (LEFT)		DOOR OPENING DIRECTION : CENTER OPENING	
(1) CEILING DESIGN PATTERN : SPECIAL			
DESIGN INFORMATION FOR SPECIAL CASE			
		UPLOAD : <input type="text" value="file0002."/>	
(2) SIDE PLATE : ALUMINUM			
(3) FLOOR : MARBLE			
(4) HANDRAIL : NECESSARY			
MATERIAL : BRASS PIPE			
DRAWING REQUISITION DATE <input type="text" value="2000"/> ▾ / <input type="text" value="5"/> ▾ / <input type="text" value="20"/> ▾			
<input type="button" value="SENDING"/>			

(b)

DRAWING GENERATION REQUEST CASE ID : 00123	
DRAWING CAN BE COMPLETED ON OR BEFORE MAY 20, 2000.	
<input type="button" value="OK"/>	